







Royde & Tucker H131-911 Heavy Duty self centring pivot set



- Facilitates emergency cubical access by allowing the door to swing in either direction, door comes to rest in the closed position under gravity
- Grade 304 stainless steel
- Heavy duty for internal doors, adjusted weight **80kg to 120kg**
- Low profile floor plate for easier fitting
- Optional J bracket for jamb fixing (not load bearing, plate to sit on floor)
- Sealed bearing to help prevent contamination
- Set includes door bottom pivot, top centre, door brackets
- Rests/dwells at 0° as standard, options to overclose left or right (overclose causes the door to sit fully within the frame rather than risk ajar)
- Can be factory timed to specific dwell position

Part list options

H131-911-FS- Standard, floor fixed 0° rest position

H131-911-FL- Standard, floor fixed, 5° Left overclose





H131-911-FR- Standard, floor fixed, 5° Right overclose

H131-911-JS- Jamb fixed, floor mounted, 0° rest position



H131-911-JL- Jamb fixed pivot, floor mounted, 5° Left overclose

H131-911-JR- Jamb fixed pivot, floor mounted, 5° Right overclose


Royde & Tucker Ltd
Bilton Road
Cadwell lane
Hitchin
SG4 0SB
Tel: 01462 444444
Fax: 01462 444433
www.ratman.co.uk e-
mail: sales@ratman.co.uk





ELEVATION - DOOR
LEAF CLOSED




ELEVATION - DOOR
LEAF OPEN




Royde & Tucker H131-935 Medium Duty self centring pivot set




Optional floor brackets



0° rest position



5° RH overclose



5° LH overclose

- Facilitates emergency cubical access by allowing the door to swing in either direction, door comes to rest in the closed position under gravity
- Grade 304 stainless steel
- Heavy duty for internal doors, adjusted weight **40kg to 80kg**
- Low profile floor plate for easier fitting
- Optional J bracket for jamb fixing (not load bearing, plate to sit on floor)
- Sealed bearing to help prevent contamination
- Set includes door bottom pivot, top centre, door brackets
- Rests/dwells at 0° as standard, options to overclose left or right (overclose causes the door to sit fully within the frame rather than risk ajar)
- Can be factory timed to specific dwell position

Part list options

H131-935-FS- Standard, floor fixed 0° rest position

H131-935-FL- Standard, floor fixed, 5° Left overclose

H131-935-FR- Standard, floor fixed, 5° Right overclose

H131-935-JS- Jamb fixed, floor mounted, 0° rest position

H131-935-JL- Jamb fixed pivot, floor mounted, 5° Left overclose

H131-935-JR- Jamb fixed pivot, floor mounted, 5° Right overclose







Royde & Tucker Ltd
Bilton Road
Cadwell lane
Hitchin
SG4 0SB

Tel: 01462 444444

Fax: 01462 444433

www.ratman.co.uk e-

mail: sales@ratman.co.uk



ELEVATION - DOOR

